

Dependent Resurvey of a Portion of the South Boundary of
the Umatilla Indian Reservation,
T. 2 S., R. 34 E., Willamette Meridian, Oregon

CHAINS

- 5.310 Point for the closing cor. on the N. and S. center line of sec. 35, for that portion of the section north of the Reservation boundary, hereinafter described.
- 14.65 Creek, dry, 10 lks. wide, drains S. 40° W.; asc. over E. slope.
- 25.465 Point for the closing cor. on the N. and S. center line of the SW¼ of sec. 35, for that portion of the section north of the Reservation boundary, hereinafter described.
- 25.95 Top of ascent; desc. gentle S. slope.
- 38.50 Ravine, drains S.; asc. E. slope.
- 40.340 The 63½ Mile Corner on the S. bdy. of the Umatilla Indian Reservation, perpetuated and recorded by Barry B. Barbour, Registered Land Surveyor No. 1051, in 1980, monumented with an iron post, 2 ins. diam., firmly set, protruding 8 ins. above ground, with brass cap mkd.

UIR
63½M
1917

from which the remains of the original bearing trees

A larch, 32 ins. diam., bears S. 43° E., 63½ lks. dist., mkd. IR on partially healed upper blaze and a healed lower blaze. (Record, S. 45° E., 62 lks.)

A root hole, bears N. 46° W., 36 lks. dist., alongside of which is a lodgepole pine, 13 ins. diam., with illegible scribe marks on upper and lower partially healed blaze.

and a bearing tree mkd. by Barbour

A ponderosa pine, 30 ins. diam., bears N. 32° W., 111½ lks. dist., with scribe marks UIR MP 63½ BT on partially healed blaze.

The corner is located on E. slope in barbed wire fence, 3 strands, bears generally E. and W.

N. 89° 40' 30" W., beginning new measurement.

UNION COUNTY
SURVEYOR

Date Received 3/8/13

Date Filed 3/8/13

By [Signature] (Revised November 1987) USD-1-BLM

File No. 217-2013R

FIELD NOTE PAPER

Retracement-Resurvey of the South Boundary
Original Umatilla Indian Reservation

Chains

T2SR34E
UIR WC
64M
1917

from which

A pine, 24 ins. diam., bears N.49°30'W., 258 lks. dist., marked U I R 64 M B T.

A pine, 6 ins. diam., bears N.21°45'E., 133 lks. dist., marked U I R 64 M B T.

Thence

S.89°49'E., resurveying the 64th Mile

Over mountainous land, not very rough, through heavy timber and medium undergrowth.

Descend 210 ft. to

16.25 Road, bears N. and S., in gulch, course S.; ascend 175 ft. to

28.80 Top of ascent, descends W.

Descend on NE. and E. slope, 125 ft. to

34.87 The closing cor. of secs. 34 and 35, which is an old post, much decayed, marked C C U R on N. face. In its place Set an iron post, 5 ft. long, 2 ins. diam., 24 ins. in the ground, for closing cor. of secs. 34 and 35, with brass cap marked

T2SR34E
C C
S34 | S35
1917

from which

A fir, 16 ins. diam., bears S.19°30'W., 25 lks. dist., blazes grown over and unopened.

Other tree dead and fallen.

A lodgepole pine, 8 ins. diam., bears N.15°E., 39 lks. dist., marked C C T 2 S R 34 E S 35 U I R B T. (new B.T.)

A lodgepole pine, 6 ins. diam., bears N.44°W., 33 lks. dist., marked C C T 2 S R 34 E S 34 U I R B T (new B.T.)

40.13 The 63 1/2 Mile Cor., the position of which is determined

UNION COUNTY SURVEYOR

Date Received 3/11/13

Date Filed 3/11/13

By [Signature] DEPUTY

File No. 264-2013R

Retracement-Resurvey of the South Boundary

Original Umatilla Indian Reservation

Chains

from the original bearing trees. At exact cor. point
Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for 63½ Mile Cor., with brass cap marked

UIR
63½M
1917

from which

A tamarack, 20 ins. diam., bears S.45°E., 62 lks.
dist., marked in bark. I remark in the wood, 63½
M U R B T (old B.T.)

A lodgepole pine, 12 ins. diam., bears N.46°W., 36
lks. dist., marked ½ M U R B T. (old B.T.)

Thence

S.89°56'E., on a true line, resurveying east half of 64th
Mile.

41.90 Dry gulch, course SE.; ascend gradually on SW. slope, 100
ft. to

51.79 Top of ridge, descends S.; descend 150 ft. to

65.68 Dry gulch, 3 lks. wide, course S.20°W.; ascend 180 ft. to

80.39 The 63 Mile Cor., heretofore described.

Land, mountainous, not very rough.

Soil, light loam, shallow, on basalt bedrock; 2nd and 3rd
rate.

Timber, yellow pine, lodgepole pine and fir.

Undergrowth, lodgepole pine, balsam and willow.

From the 64 Mile Cor.

West, retracing the 65th Mile

40.36 Pass 10 lks. N. of the 64½ Mile Cor., hereinafter described.

80.37 Fall 28 lks. S. of the 65 Mile Cor., the position of which
is determined from the original bearing trees. At the
exact cor. point

Set an iron post, 3 ft. long, 2 ins. diam., 24 ins. in the
ground, for 65 Mile Cor., with brass cap marked

T2SR34E
UIR
65M
1917

UNION COUNTY
SURVEYOR

Date Received 3/11/13

Date Filed 3/11/13

By J. G. S. L. DEPUTY

File No. 264-2013R