


TOWNSHIP 2S, RANGE 38 E.

CORNER DIAGRAM



| UNION COUNTY SURVEYOR |                            |
|-----------------------|----------------------------|
| Date Received         | <u>7-16-84</u>             |
| Date Filed            | <u>7-17-84</u>             |
| By                    | <u>G. LANGLITZ, DEPUTY</u> |
| File No.              | <u>928-84R</u>             |

REFER TO FILE NO. V-13  
SEE ALSO MAP 32-84


REFERENCES TO PRIOR RECORDS C.S. #62-78,  
C.S. #56-73, C.S. #57-77

THIS SPACE RESERVED FOR  
USE BY COUNTY SURVEYOR

MONUMENT(S) FOUND: (CONDITION AND SOURCE)

MOUND OF STONES WITH 3/8" I.D. PIPE IN GOOD CONDITION

MONUMENT DETAIL




ACCESSORIES FOUND: (CONDITION AND SOURCE)

NO ACCESSORIES

TOWNSHIP 2S, RANGE 38 E.

CORNER DIAGRAM



|                                  |                            |
|----------------------------------|----------------------------|
| <b>UNION COUNTY<br/>SURVEYOR</b> |                            |
| Date Received                    | <u>7-16-84</u>             |
| Date Filed                       | <u>7-17-84</u>             |
| By                               | <u>G. LANGLITZ, DEPUTY</u> |
| File No.                         | <u>928-84-R</u>            |

REFER TO FILE NO. V-13  
SEE ALSO MAP 32-84

REFERENCES TO PRIOR RECORDS C.S. #62-78,  
C.S. #56-73, C.S. #57-77

*THIS SPACE RESERVED FOR  
USE BY COUNTY SURVEYOR*

MONUMENT(S) FOUND: (CONDITION AND SOURCE)

MOUND OF STONES WITH 3/8" I.D. PIPE IN GOOD CONDITION

MONUMENT DETAIL

ROCKS



3/8" I.D. PIPE

ACCESSORIES FOUND: (CONDITION AND SOURCE)

NO ACCESSORIES

# HORIZONTAL CONTROL DATA

OREGON STATE PLANE, NORTH ZONE (3601)

LaGRANDE & ISLAND CITY, UNION COUNTY OREGON

STA. NAME: 9605

CORNER COMMON TO: 27, 28, 33 & 34

TWP. 2S, RGE. 38E, W.M.

DATE FD.: MARCH, 1996

SURVEYOR: WALTER L. CASWELL  
PLS 737

FIRM: EAGLE GPS SURVEY CORP  
6110 S.W. LOMBARD AVE.  
BEAVERTON, OR. 97008  
(503) 643-1073

TYPE: GPS

ORDER: SECOND CLASS: 2

GEODETIC COOR: NAD 83(91)

LAT: 45°21'17.49714" N

LONG: 118°03'19.99714" W

SP. COOR: NAD 83(91)

N: 624974.458 INT.FT.

E: 8830364.010 INT.FT.


THETA: 1°44'00.838"

SCALE FACTOR: 0.999899847

ELEV: 2747.849 US.FT.

ELEV. DATUM: NGVD 29

\*\*\*\*\*  
DIRECTIONS "TO REACH"



EXPIRES 12/31/97

1 meter = 3.280833... U.S. Feet = 39.37 inches exactly  
1 meter = 3.280839895 Intl. Feet or 1 inch = 2.54cm. exactly  
To Calculate Elevation Factor (in the North American Continent)  
Divide 20,906,000 by (20,906,000 + Ellipsoid Elev. in Feet)

JOB 96-007

SHEET 18 OF 66