#### CERTIFIED RECORD OF LAND CORNER MONUMENTATION


HISTORY OF ORIGINAL CORNER ESTABLISHMENT: Corner not previously established

DESCRIPTION OF CORNER EVIDENCE FOUND: NONE

See Survey Number 031-1999.

DESCRIPTION OF MONUMENT AND ACCESSORIES I ESTABLISHED TO PERPETUATE THE ORIGINAL LOCATION OF THIS CORNER:

At position determined by survey, I set a 5/8" x 30" iron rod with 1 ½" aluminum cap marked as shown below, 30" in the ground, from which:



#### NEW BEARING TREES:

A 12" diameter Douglas Fir bears N  $71^{\circ}E$ , a distance of 31.98 feet, marked "S1/16 S5 BT"

A 16" diameter Tamarack bears N  $49^{\circ}W$ , a distance of 30.42 feet, marked "S1/16 S6 BT"


I hereby certify that the corner was monumented on August 20, 1999. Witnesses: Norbert W. Volny, Gregory T. Blackman Jr.

REGISTERED
PROFESSIONAL
LAND SURVEYOR

Character G. Marie

OREGON July 17, 1988 RICK G. ROBINSON 2219

Renewal Date December 31, 1998



UNION COUNTY
SURVEYOR

Date Received 8/26/99

Date Filed 10/8/99

Filed By Lyn 7 Bh

File Number 031-1999 K

I used a steel tape and magnetic compass in the establishment of new accessories. The magnetic declination used was 18° East. The distance to the bearing tree is to a 50d spike driven on the right side of the tree at the root crown. I attached a brass washer marked OPLS 2219 to the BT blaze.

# HORIZONTAL CONTROL DATA

# **UNION COUNTY, OREGON OREGON STATE PLANE, NORTH ZONE (3601)**

STA NAME:

200329

SOUTH 1/16th CORNER COMMON TO SECTIONS: 5 & 6

TWP.

2

S.

RGE. 40

E.

GEODETIC COORD: NAD 83(91)

DATE TIED: November 2003

LAT:

45 ° 25 '

0.49798 " N

SURVEYOR: RICK G. ROBINSON

LONG:

117° 51'

0.55454 " W

**OPLS 2219** 

FIRM: BAGETT, GRIFFITH, & BLACKMAN

2006 ADAMS AVENUE

LAGRANDE, OR 97850

(541) 963-6092

N:

649211.368

INT FT.

8882396.696 E:

SP. COOR: NAD 83(91)

INT FT.

TYPE: GPS

THETA:

52 ' 45.2413307 "

ORDER: SECOND CLASS: 1

SCALE FACTOR:

0.9999039377

ELEV:

4010.29

US FT.

ELEV: DATUM: NGVD 29

### **COMMENTS:**

Corner is 2 ½" aluminum monument

on 5/8" pin

**T2S R40E** S 1/16 S 6 S 5 1999 OPLS 2219

REGISTERED **PROFESSIONAL** 

RICK G ROBINSON 2219

Renewal Date December 31, 2004

1 METER = 3.2808333333... US FEET = 39.37 INCHES

1 METER = 3.280839895 INT'L FEET OR 1 INCH = 2.54 CM

TO CALCULATE ELEVATION FACTOR (IN THE NORTH AMERICAN CONTINENT)

DIVIDE 20,906,000 BY (20,906,000 + ELLIPSOID ELEV. IN FEET)