

UNION COUNTY SURVEYOR


CERTIFIED RECORD OF LAND CORNER MONUMENTATION

HISTORY OF ORIGINAL CORNER ESTABLISHMENT:

Corner not originally established under GLO Contract

T 4 S R 38 E W - 07

No record of monumentation found in Union County survey records.



DESCRIPTION OF CORNER EVIDENCE FOUND:

NONE

See Union County Survey Number 020-2003

DESCRIPTION OF MONUMENT AND ACCESSORIES I ESTABLISHED TO PERPETUATE THE ORIGINAL LOCATION OF THIS CORNER:

At the position determined by survey, I set a 5/8"x30" iron pin 29 inches in the ground, with 2 1/2" aluminum cap marked as shown, from which:

New Bearing Trees:

A 14 inch diameter Tamarack bears S 56°E, a distance of 53.02 feet, marked CN 1/16 S32 BT


A 10 inch diameter Tamarack bears N 21°W, a distance of 36.09 feet, marked X BT

Set steel fence post approximately 2 ft. East of monument.

I hereby certify that the corner was monumented on July 10, 2003.

Witness: Gregory T. Blackman, Jr.

UNION COUNTY SURVEYOR	
Date Received	8/17/03
Date Filed	9/12/03
Filed By	<i>Gregory T. Blackman</i>
File Number	037-2003R



REGISTERED PROFESSIONAL LAND SURVEYOR
<i>Rick G. Robinson</i>
OREGON July 17, 1986
RICK G. ROBINSON 2219

Renewal Date December 31, 2004

I used a steel tape and magnetic compass in the establishment of these accessories. I used a magnetic declination of 18° East. The distances are to a 50d spike driven on the right side of the root crown. I attached a brass washer marked OPLS 2219 to the BT blaze.

W-07

HORIZONTAL CONTROL DATA

UNION COUNTY, OREGON

OREGON STATE PLANE, NORTH ZONE (3601)

STA NAME: 200304

Center-North 1/16th Corner of Section 32

TWP. 4 S. RGE. 38 E.

GEODETIC COORD: NAD 83(91)

DATE TIED: July 2003

LAT: 45 ° 10 ' 37.11941 " N

SURVEYOR: RICK G. ROBINSON
OPLS 2219

LONG: 118 ° 5 ' 10.35679 " W

FIRM: BAGETT, GRIFFITH, & BLACKMAN
2006 ADAMS AVENUE
LAGRANDE, OR 97850
(541) 963-6092

SP. COOR: NAD 83(91)

N: 559913.167 INT FT.

E: 8824424.726 INT FT.

TYPE: GPS

THETA: 1 ° 42 ' 42.5734548 "

ORDER: SECOND CLASS: 1


SCALE FACTOR: 0.9998945929

ELEV: 4984.54 US FT.

ELEV: DATUM: NGVD 29

COMMENTS:

Corner is 2 1/2" aluminum cap on a 5/8" iron pin
Approximately 50 feet North of a house



Renewal Date December 31, 2004

1 METER = 3.2808333333... US FEET = 39.37 INCHES

1 METER = 3.280839895 INT'L FEET OR 1 INCH = 2.54 CM

TO CALCULATE ELEVATION FACTOR (IN THE NORTH AMERICAN CONTINENT)

DIVIDE 20,906,000 BY (20,906,000 + ELLIPSOID ELEV. IN FEET)