


CERTIFIED RECORD OF LAND CORNER MONUMENTATION

HISTORY OF ORIGINAL CORNER ESTABLISHMENT:

Survey No. 72-77: Set 4"x24" concrete filled pipe, with 2" brass cap 1FT.+/- below road surface.

Survey No. 012-1992: Found 1" dia pipe 1/16 cor. S13/18 set by Anderson Perry & Associates NO FILED SURVEY

Survey No. 013-1998: Found 1" dia pipe as per Survey No. 012-1992 replaces concrete filled pipe with brass cap set by Survey No. 72-77



DESCRIPTION OF CORNER EVIDENCE FOUND:

NONE

See Survey No. 032-1999

DESCRIPTION OF MONUMENT AND ACCESSORIES I ESTABLISHED TO PERPETUATE THE ORIGINAL LOCATION OF THIS CORNER:

At position determined by survey, I set a 2½"x 30" Copper Clad monument marked as shown 34" in the ground in Valve Box, from which:

NEW BEARING OBJECTS:

A 5/8" Iron rebar with aluminum cap marked SE RP bears S 57°E, a distance of 36.35 feet.

A R.R. spike 2 feet off ground in Telephone Pole #55180024 bears S 41°W, a distance of 30.00 feet.

I hereby certify that the corner was monumented on August 3, 1999
 Witness: Gregory T. Blackman Jr. and Norb Volny

REGISTERED
 PROFESSIONAL
 LAND SURVEYOR

Gregory T. Blackman
 OREGON
 JULY 13, 1873
GREGORY T. BLACKMAN
 991

Renewal Date: December, 31 1999


**UNION COUNTY
 SURVEYOR**

Date Received 9/13/99

Date Filed 10/8/99

Filed By R. Robinson Deputy

File Number 040-1999E



GEODETIC CONTROL DATA

OREGON STATE PLANE, NORTH ZONE (3601)
UNION COUNTY, OREGON

STA. NAME: 9944

QUARTER SECTION: SE	GEODETIC COOR: NAD 83(91)
EAST 1/16 CORNER OF THE SE QUARTER	LAT: 45:12'48.18423" N
SEC 13, T.4S, R.39E	LONG: 117:52'14.12144" W
UNION COUNTY, OREGON	
DATE TIED: NOVEMBER, 1999	SP. COOR: NAD 83(91)
	N: 574913.863 INT.FT
SURVEYOR: WALTER L. CASWELL	E: 8879547.863 INT.FT.
PLS 737	THETA: 1:51'53.068"
FIRM: EAGLE GPS SURVEY CORP	SCALE FACTOR: 0.999894885
6110 SW LOMBARD AVE.	ELEV: 2774.86 U.S.FT.
BEAVERTON, OR. 97008-4736	ELEV. DATUM: NGVD 1929(1947)
(503) 643-1073	
TYPE: GPS	
ORDER: SECOND CLASS: 1	

DIRECTIONS "TO REACH":

AMENDED

REGISTERED
PROFESSIONAL
LAND SURVEYOR

Albert Hertel

OREGON
JULY 18, 1980
ALBERT HERTEL
1896

EXPIRES 6/30/01

1 METER = 3.280833... U.S. FEET = 39.37 INCHES EXACTLY
1 METER = 3.280839895 INTL. FEET OR 1 INCH = 2.54CM. EXACTLY
TO CALCULATE ELEVATION FACTOR (IN THE NORTH AMERICAN CONTINENT)
DIVIDE 20,906,000 BY (20,906,000 + ELLIPSOID ELEV. IN FEET)

JOB 99-005
SHEET 62 OF 67

HORIZONTAL CONTROL DATA

UNION COUNTY, OREGON

OREGON STATE PLANE, NORTH ZONE (3601)

STA NAME: 9944

SOUTHEAST 1/16 SECTION 13

TWP. 4 S. RGE. 39 E.

GEODETIC COORD: NAD 83(91)

DATE TIED: NOVEMBER 1999

LAT: 45 ° 12 ' 48.19005 " N

SURVEYOR: WALTER L. CASWELL
PLS 737

LONG: 117 ° 52 ' 14.11990 " W

FIRM: EAGLE GPS SURVEY CORP
6110 SW LOMBARD AVE.
BEAVERTON, OR: 97008-4736
(503) 643-1073

SP. COOR: NAD 83(91)
N: 74915.013 INT FT.
E: 8879565.622 INT FT.

TYPE: GPS

HEXA: 1 ° 51 ' 53.0698077 "

ORDER: SECOND CLASS: 1



SCALE FACTOR: 0.9998948854

ELEV: 2774.86 US FT.

ELEV: DATUM: NGVD 29

COMMENTS:

This sheet has been edited. The original had the coordinates shown in US feet. I have converted back to international feet.



Renewal Date: Dec. 31, 2001

1 METER = 3.280833333... US FEET = 39.37 INCHES

1 METER = 3.280839895 INT'L FEET OR 1 INCH = 2.54 CM

TO CALCULATE ELEVATION FACTOR (IN THE NORTH AMERICAN CONTINENT)

DIVIDE 20,906,000 BY (20,906,000 + ELLIPSOID ELEV. IN FEET)

HORIZONTAL CONTROL DATA
UNION COUNTY, OREGON
OREGON STATE PLANE, NORTH ZONE (3601)

STA NAME: 201602

SOUTH 1/16 SECTION CORNER COMMON TO SECTIONS 13 AND 18

TWP. 4 S. RGE. 39 -40 E.

GEODETIC COORD: NAD 83(91)

DATE TIED: February 23, 2016

LAT: 45 ° 12 ' 48.18382 " N

SURVEYOR: RICK G. ROBINSON
OPLS 2219

LONG: 117 ° 52 ' 14.12179 " W

FIRM: BAGETT, GRIFFITH, & BLACKMAN
2006 ADAMS AVENUE
LAGRANDE, OR 97850
(541) 963-6092

SP. COOR: NAD 83(91)

N: 574914.377 INT FT.

E: 8879565.507 INT FT.

TYPE: GPS

THETA: 1 ° 51 ' 53.0684655 "

ORDER: SECOND CLASS: 1



SCALE FACTOR: 0.9998948854

ELEV: 2775.06 US FT.

ELEV: DATUM: NGVD 29

COMMENTS:

2 ½" "copper clad" monument marked as
shown in water valve box



Renewal Date: December 31, 2016

1 METER = 3.2808333333... US FEET = 39.37 INCHES

1 METER = 3.280839895 INT'L FEET OR 1 INCH = 2.54 CM

TO CALCULATE ELEVATION FACTOR (IN THE NORTH AMERICAN CONTINENT)

DIVIDE 20,906,000 BY (20,906,000 + ELLIPSOID ELEV. IN FEET)