| BE IT REMEMBERED, That or | this13thday ofAprilA.D., 19_50 |
|-------------------------------------|--|
| | unty Judge |
| • | ly appeared the within namedArthur_Carl_Glann |
| | |
| | |
| | , whoisknown |
| | scribed in and who executed the within instrument, and acknowledged to |
| me that_heexecuted the same f | reely and voluntarily. |
| | IN TESTIMONY WHEREOF, I have hereunto set my County Court |
| | hand andseal the day and year last above |
| | written. |
| My Commission expires | CKM° Corneck |
| A Samuel MA | County Judge Union County, Oregon, |
| COURT | * ************************************ |
| 125 | |
| 20 (5-2) 2 | |
| S. The United St. | |
| | |
| 60 | o por la segunda de la sesente proportion de la consequencia de la confesión de la segunda de la companya de l La consequencia de la consequencia |
| 7.505.00 | ျပည်သည်။ အရေးသော ကောင်းများ ကျောက်လျှင်းသည်။ သည် သည် သည် ကို မြောင်းသည်။ မြောင်းသည်။ လေးများသည်။ မြောင်းများနှစ်တွေ မြောင်းသည် သည်မြောင်းသည် သည် သည် မြောင်းသည်များများ ကြောင်းသို့သည်။ သည် သည်။ သည်များသည် သည် သည် |
| FOFO | |
| COF OF | |
| A 5 | |
| EGON NO. | |
| EED CRECON | |
| SIS O | Wifes ithin instrument d for record on So at lo Record of County Clerk, County Clerk, |
| SIS O | Wifes ithin instrument d for record on So at lo Record of County Clerk, County Clerk, |
| SIS O | Wifes ithin instrument d for record on So at lo Record of County Clerk, County Clerk, |
| SIS O | Wifes ithin instrument d for record on So at lo Record of County Clerk, County Clerk, |
| × × × × × × | STATE OF OREGON, S.S. Councy of Union. S.S. I certify that the within instrument of ming ras received for record on cock. A. M., and recorded on page 4551 in Book A. Record of County Clerk, By Lange May Clerk, By Lange May Clerk, By Lange May County Clerk, |
| SIS O | Wifes ithin instrument d for record on So at lo Record of County Clerk, County Clerk, |
| SIS O | STATE OF OREGON, S.S. Councy of Union. S.S. I certify that the within instrument of ming ras received for record on cock. A. M., and recorded on page 4551 in Book A. Record of County Clerk, By Lange May Clerk, By Lange May Clerk, By Lange May County Clerk, |
| SIS O | STATE OF OREGON, S.S. Councy of Union. S.S. I certify that the within instrument of ming ras received for record on cock. A. M., and recorded on page 4551 in Book A. Record of County Clerk, By Lange May Clerk, By Lange May Clerk, By Lange May County Clerk, |
| SIS O | STATE OF OREGON, S.S. Councy of Union. S.S. I certify that the within instrument of ming ras received for record on cock. A. M., and recorded on page 4551 in Book A. Record of County Clerk, By Lange May Clerk, By Lange May Clerk, By Lange May County Clerk, |
| SIS O | STATE OF OREGON, S.S. Councy of Union. S.S. I certify that the within instrument of ming ras received for record on cock. A. M., and recorded on page 4551 in Book A. Record of County Clerk, By Lange May Clerk, By Lange May Clerk, By Lange May County Clerk, |
| ROAD D FROM TO TO UNION COUNTY, | STATE OF OREGON, S.S. Councy of Union. S.S. I certify that the within instrument of ming ras received for record on cock. A. M., and recorded on page 4551 in Book A. Record of County Clerk, By Lange May Clerk, By Lange May Clerk, By Lange May County Clerk, |

स्तर **१**०० के इं

BOOK 121 PAGE 452

State of Washington

County of Kittilus

BE IT REMEMBERED, that on this 15th day of April, 1950, before me, the undersigned, a notary personally appeared the personally appeared the within named Pearle J. Henry who is known to me to be the identical individual described in and who executed the within instrument, and acknowledged to me that she executed the same freely and voluntarily.

> IN TESTIMONY WHEREOF, I have hereunto set my hand and seal the day and year last above

written

| | DENTURE, WITNESSETH, That Arthur Carl Glenn | |
|--|--|--|
| and Gea | his wife, for the consideration of | |
| One hundr | d_(\$100_00)_dollars_and_no_(0ρ)_cen ss DOLL | ARS, |
| to | paid, ha_ve. bargained and sold, and by these presents do bargain, sell and convey | unto |
| the County of U | nion, State of Oregon, the following described land for road purposes, to-wit: | |
| Parcel # | •• | |
| A_pe | cel of land lying in the Wa of the SWa of Sec. 18 7 15 839 B. | W.H. |
| of Union | ounty, Oregon. | - - |
| This | said_parcel_being_all_that_portion_of_said_Wg_of_the_SWg_of- | Sec. |
| 18, inclu | ed_in_a_strip_of_land_lying_between-the-existing-County-Road | t-and |
| | ch is parallel to and forty (40) feet Easterly of the Center e Imbler-Summerville County Road as said road has been reloc | |
| which Con | er Line is described as follows: | |
| Begi | ming at a point which is Engineer's Center Line Station 95+6 | 55 |
| at which | oint the Southerly line of said strip of land lies at right | |
| angles to | said Center Line; said point being approximately 950 feet So | uth |
| | ast of the SW corner of Sec. 18 T 18 RS9 E.W. M; thence M 380 | |
| | ft; thence on a spiral curve right (the long cord of which be | |
| N 3600015 | Control of the state of the sta | |
| | "w)SOOft; thence on a 1439/39 ft, radius surve right (the long | |
| of which | ears N 39029'35"W)26.03 ft; thence on a spiral curve right(t | he. |
| of which long cord Station 1 Center ti Station t line of a The acres, of | ears N 39°29'35"W)26.03 ft; thence on a spiral curve right(tof which bears N 26°58'20"W)500 ft; to Engineer's Center Line 5+84.03 equals 103+85.5; thence N 24°58'80"W.449.5 ft, to Eng a Station 108+45 opposite and forty (40) feet distant from a Easterly line of said strip of land intersects the Westerlid Sec. 18. areal of land to which this description applies centeins 1.2 bigh 0.5 acres lie within the existing R/W, title to which he | ine. |
| of which long cord Station 1 Center Li Station t line of s The acres, of | ears N 39°29'35"W)26.03 ft; thence on a spiral curve right(to which bears N 26°58'20"W)300 ft; to Engineer's Center Line 3+84.03 equals 103+85.5; thence N 24°58'20"W.449.5 ft, to Enge Station 108+45 opposite and forty (40) feet distant from we hasterly line of said strip of land intersects the Westerline Sec. 18. areal of land to which this description applies contains 1.2 high 0.5 acres lie within the existing R/W, title to which he adged to be in the public and 0.7 acres lie outside of the saiged to be in the public and 0.7 acres lie outside of the saiged to be in the public and 0.7 acres lie outside of the saiged to be in the public and 0.7 acres lie outside of the saiged to be in the public and 0.7 acres lie outside of the saiged to be in the saiged to be in the saiged to be in the saiged to be an acres lie outside of the saiged to be in the saiged to be in the saiged to be in the saiged to be a saiged to saiged | ine- lines tilei |
| of which long cord Station 1 Center Li Station t line of a The acres of 18 adknow | ears N 39°29'35"W)26.03 ft; thence on a spiral curve right(tof which bears N 26°58'20"W)500 ft; to Engineer's Center Line 5+84.03 equals 103+85.5; thence N 24°58'80"W.449.5 ft, to Eng a Station 108+45 opposite and forty (40) feet distant from a Easterly line of said strip of land intersects the Westerlid Sec. 18. areal of land to which this description applies centeins 1.2 bigh 0.5 acres lie within the existing R/W, title to which he | ine- |
| of which long cord Station 1 Center Li Station t line of a The acres of 18 adknow | ears N 39°29°35"W)26.03 ft; thence on a spiral curve right(to the which bears N 26°58°20"W)500 ft; to Engineer's Center Line 5+84.03 equals 103+85.5; thence N 24°88'80"W.449.5 ft, to Eng e Station 108+45 opposite and forty (40) feet distant from we hasterly line of said strip of land intersects the Westerlia 5ec. 18. erred of land to which this description applies centains 1.2 bigh 0.5 acres lie within the existing R/W, title to which he edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public acres lies outside of the edged to be in the public acres lies outside of the edged to be in the public acres lies outside of the edged to be in the public acres lies outside of the edged to be in the public acres lies outside of the edged to be in the public acres lies outside of the edged to be in the public acres lies outside of the edged to be in the edg | inectification of the control of the |
| of which long cord Station I Center Li Station t line of a The acres of is acknow TO HAVE An and the public | ears N 39°29'35"W)26.03 ft; thence on a spiral curve right(to of which bears N 26°58'20"W)300 ft; to Engineer's Center Line 3+84.03 equals 103+85.5; thence N 24°58'20"W.449.5 ft, to Eng e Station 108+45 opposite and forty (40) feet distant from a Easterly line of said strip of land intersects the Westerlie Sec. 18. areal of land to which this description applies centains 1.2 high 0.5 acres lie within the existing R/W, title to which he edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public and 0.7 acres lie outside of the edged to be in the public acres of the edged to be in the public acres of the edged to be in the public acres of the edged to be in the public acres of the edged to be in the public acres of the edged to be in the public acres of the edged to be in the edged to be edged to be in the edged | inectification in the state of |
| long cord Station 1 Center Li Station t line of s The acres of 10 HAVE An and the public | ears N 39°29°35"W)26.03 ft; thence on a spiral curve right(to the spiral curve right)). | inectification in the second s |
| long cord Station 1 Center Li Station t line of s The acres of 10 HAVE An and the public | of which beers N 26058 20 W) 500 ft; to Engineer's Center Line 5+84.03 equals 103+85.5; themes N 24088 20 W. 449.5 ft, to Eng Station 108+45 opposite and forty (40) feet distant from N 240 English and Station 108+45 opposite and forty (40) feet distant from N 240 English 1 En | inectification in the second s |
| long cord Station 1 Center Li Station t line of s The acres of 10 HAVE An and the public | ears N 39°29°35"W)26.03 ft; thence on a spiral curve right(to the spiral curve right)). | inectification in the second s |
| long cord Station 1 Center Li Station t line of s The acres of 10 HAVE An and the public | ears N 39°29°35°W)26.03 ft; thence on a spiral curve right(to the spiral curve right)). | inectification in the second s |
| of which long core Station 1 Center Li Station t line of a The acres of is acknow TO HAVE AN and the public Charles that we ar except | of which bears N 26°58 20°N)300 ft; to Engineer's Center Line 3+84.05 equals 103+85.5; thence N 24°58'20°N.449.5 ft, to Eng Station 108+45 opposite and forty (40) feet distant from a Easterly line of said strip of land intersects the Westerl 10 Sec. 18. ereel of land to which this description applies centeins 1.2 high 0.5 acres lie within the existing R/N, title to which he edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the said land, with its appurtenances, for county road purposes to said Union Conterein forever, and we the said Arthur Carl Glenn and the said Union Conterein forever, and the owner in fee simple of said lands; that they are free from all encumbrate the owner in fee simple of said lands; that they are free from all encumbrates. | inecial inecia |
| of which long core Station 1 Center Li Station t line of a The acres of is acknow TO HAVE AN and the public Charles that we ar except | of which bears N 26°58'80"W 300 ft; to Engineer's Center Line 3+84.03 equals 103+85.5; thence N 24°58'80"W.449.5 ft, to Eng 8 tation 108+45 eppesite and forty (40) feet distant from 8 Easterly line of said strip of land intersects the Westerl 16 Sec. 16. 16 To fland to which this description applies centeins 1.2 16 high 0.5 acres lie within the existing R/K, title to which he 17 HOLD the said land, with its appurtenances, for county road purposes to said Union Concrete forever, and we the said Arthur Carl Glenn and the form 18 Arthur Carl Glenn and the form of the existing R/K, title to which he 19 To HOLD the said land, with its appurtenances, for county road purposes to said Union Concrete forever, and the said land, with its appurtenances, for county road purposes to said Union Concrete forever, and the said land, with its appurtenances, for county road purposes to said Union Concrete forever, and the said land, with its appurtenances, for county road purposes to said Union Concrete forever, and the said land, with its appurtenances, for county road purposes to said Union Concrete forever, and the said land, with its appurtenances, for county road purposes to said Union Concrete forever, and the said land, with its appurtenances, for county road purposes to said Union Concrete forever, and the said land, with its appurtenances, for county road purposes to said Union Concrete forever, and the said land, with its appurtenances, for county road purposes to said Union Concrete forever, and the said land, with its appurtenances, for county road purposes to said Union Concrete forever, and the said land, with its appurtenances, for county road purposes to said Union Concrete forever, and the said land, with its appurtenances, for county road purposes to said Union Concrete forever, and the said land, with its appurtenances for county forever, and the said land, with its appurtenances, for county forever, and the said land, with its appurtenances, forever, and the said land, with its appurtenances, for county forev | ine. |
| long cord Station 1 Center ti Station t line of a The acres of is acknow TO HAVE An and the public Classification that we ar except | ears N 59°29'35"W 26.03 ft; thence on a spiral curve right(to thick bears N 26°58'20"W)500 ft; to Engineer's Center Line 5+84.03 equals 103+85.5; thence N 24°58'30"W.449.5 ft, to Eng e Station 108+45 opposite and forty (40) feet distant from N 24°58' 100 ft. 100 | inectification in the state of |
| long cord Station 1 Center Li Station t line of a The acres of is acknow TO HAVE AN and the public that we ar except IN WITNESS day of Apr | ears N 59°29'35"W 26.03 ft; thence on a spiral curve right(to thick bears N 26°58'20"W)500 ft; to Engineer's Center Line 5+84.03 equals 103+85.5; thence N 24°58'30"W.449.5 ft, to Eng e Station 108+45 opposite and forty (40) feet distant from N 24°58' 100 ft. 100 | inectification in the state of |
| long cord Station 1 Center Li Station t line of a The acres of is acknow TO HAVE AN and the public that we ar except IN WITNESS day of Apr | ears N 59°29'35"W)26.03 ft; thence on a spiral curve right(to thick bears N 26°58'20"W)500 ft; to Engineer's Center Line 5+84.03 equals 103+65.5; thence N 24°58'30"W.449.5 ft, to Engineer to Easterly line of said strip of land intersects the Westerlid Sec. 18. areal of land to which this description applies centeins 1.2 high 0.5 acres lie within the existing R/R, title to which he edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public, and 0.7 acres lie outside of the edged to be in the public acres lie outside of the edged to be in the public acres lie outside of the edged to be in the public acres lie outside of the edged to be in the public acres lie outside of the edged to be in the public acres lie outside of the edged to be in the edged to | inectification in the second s |